AutoDiary

Certified 2019 Ford F-53 Motorhome Stripped Chassis 158" WB (#AH14891)

Vehicle Details



Stock #AH14891VIN1F65F5DYXK0A0910Year2019Stock TypeCertifiedMakeFordModelF-53 Motorhome Stripped ChassisStyle158" WBExterior ColorWHITEPublished PricePlease Call

Disclaimer

Sales Tax, Title Fee, License & Registration Fees, Dealer Documentary Fee, Finance Charges, Emission Testing Fees and / or Compliances Fees are in addition to the advertised price. Prices and special offers are subject to change. Mileage listings are estimates and are not necessarily accurate odometer readings.

Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 1 of 7

Photos



Features

Standard Equipment

EXTERIO R

- TIRES: LT245/70RX19.5G BSW HIGHWAY
- WHEELS: 19.5" X 6.75" STEEL (6)

INTERIOR

- Analog Appearance
- Cruise control w/steering wheel controls
- Fixed Driver Seat
- Fixed Passenger Seat
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
- Manual tilt steering column
- Outside temp gauge
- POWER DOOR LOCKS
- Provision Air Conditioning
- Urethane Gear Shifter Material

MECHANICAL

- 175 amp alternator
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs
- 4.30 AXLE RATIO
- 50 STATE EMISSIONS SYSTEM
- 78-Amp/Hr 750CCA Maintenance-Free Battery

Prepared 4/25/2024

REYNOLDS

AUTOGROUP

Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 2 of 7

Features (continued)

MECHANICAL

- 80 Gal. Fuel Tank
- 9757# Maximum Payload
- ENGINE OIL COOLER
- Firm Suspension
- Front And Rear Anti-Roll Bars
- GVWR: 16,000 lbs. Payload Package -inc: 11,000 lbs, rear DANA 80 axle, 6,500 lbs, front GAWR and 11,000 lbs, rear GAWR
- Hydraulic Power-Assist Steering
- Leaf Front Suspension w/Multi-Leaf Springs
- Rear-wheel drive
- Sachs Brand Name Shock Absorbers
- Single stainless steel exhaust
- Solid Axle Rear Suspension w/Multi-Leaf Springs
- Trailer Wiring Harness
- Transmission w/Oil Cooler

Optional Equipment

• PINSTRIPE

Technical Specifications

Basic

BASIC	Engine:	E: 6.8L 3-VLV SOHC EFI TRI V10
	Cylinders:	10
	Fuel Type:	Gas
	Transmission:	Transmission-Auto
	Transmission Type:	Automatic
	Drive Type:	Rear-wheel Drive

Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 3 of 7

Technical Specifications (continued)

Chassis Specifications

BRAKES	ABS System:	4-Wheel
	ABS System (Second Line):	4-Wheel
	Brake System Type:	4-Wheel Disc
	Front disc brake (Yes/No):	Yes
	Front disk brake Rotor Diam x Thickness (in):	15.6
	Rear disc brake (Yes/No):	Yes
	Rear disc brake rotor diameter x thickness (in):	15.6
FUEL TANK	Capacity, Approx (gal):	80
STEERING	Curb to Curb Turns:	45.4
	Steering Type:	Re-Circulating Ball
SUSPENSION	Front Axel Type:	Non-Independent
	Front axle Capacity (lb):	8000
	Front Spring Capacity (lb):	7000
	Front Spring Type:	Leaf
	Rear axle capacity (lb):	12000
	Rear axle type:	Rigid Axle
	Rear spring capacity (lb):	11000
	Rear Spring Type:	Leaf
TIRES	Front Capacity - each (lb):	7780
	Front Tire Order Code:	T96
	Front Tire Revolutions/Mile @ 45 mph:	633
	Front Tire Size:	LT245/70SR19.5
	Rear tire capacity (lb):	14620
	Rear tire order code:	T96
	Rear tire revolutions @ 45 mph:	633
	Rear tire size:	LT245/70SR19.5

Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 4 of 7

Technical Specification	ns (continued)	
Chassis Specifications		
WHEELS	Front wheel Size (in):	19.5 X 6.75
	Front wheel Type:	Steel
	Rear wheel size (in):	19.5 X 6.75
	Rear wheel type:	Steel
Dimension Specifications		
EXTERIOR DIMENSIONS	Length, Overall (in):	300.1
	Overhang (in), Front:	36.3
	Overhang (in), Rear w/o bumper:	105.8
	Wheelbase (in):	158
INTERIOR DIMENSIONS	Passenger Capacity:	1
Payload/Trailering Specific	cations	
TRAILERING	Dead Weight Hitch (lb):	5000
	Dead Weight Hitch-Max. Tongue Load:	500
	Wt Distributing Hitch (lb):	7000
	Wt. Distributing Hitch-Max. Tongue Load:	700
WEIGHT INFORMATION	Base Curb Weight (lb):	6307
	Curb Weight (lb):	3088
	Gross Axle Wt Rating (lb):	6500
	Gross Combined Wt Rating (lb):	23000
	Gross Vehicle Wt Rating (lb):	16000
	Rear Curb Weight (lb):	3219
	Rear Gross Axle Weight Rating (lb):	11000

Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 5 of 7

Technical Specifications (continued)

Powertrain - Advanced Specifications

COOLING SYSTEM	Engine Oil Cooler:	Regular Duty	
DIFFERENTIAL	Front Axel Ratio (:1):	4.30	
	Rear axle ratio (:1):	4.30	
ELECTRICAL	1st battery Cold Cranking Amps @ 0° F:	750	
	2nd battery cold cranking amps @ 0 F:	750	
TRANSFER CASE	Transfer Case Model:	None	
	Transfer Case Power Take Off:	No	


Powertrain - Basic Specifications

ENGINE	Displacement:	6.8 L/415
	Engine Order Code:	99Y
	Engine Type:	Regular Unleaded V-10
	Fuel System:	Sequential MPI
	SAE Net Horsepower:	320 @ 3900
	SAE Net Torque (lb ff):	460 @ 3000

Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 6 of 7



Prepared 4/25/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 7 of 7