AutoDiary

Used 2018 Chevrolet Express Cargo Van RWD 2500 135" (#XU905532)

Vehicle Details



Stock #XU905532VIN1GCWGAFG4J1905532Year2018Stock TypeUsedMakeChevroletModelExpress Cargo VanStyleRWD 2500 135"

Disclaimer

Sales Tax, Title Fee, License & Registration Fees, Dealer Documentary Fee, Finance Charges, Emission Testing Fees and / or Compliances Fees are in addition to the advertised price. Prices and special offers are subject to change. Mileage listings are estimates and are not necessarily accurate odometer readings.

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 1 of 10

AutoDiary

Used 2018 Chevrolet Express Cargo Van RWD 2500 135" (#XU905532)

Photos



ENTERTAINMENT

- Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Satellite Radio, (5BV) Upfitter electrical provisions or (WP9) Communications Package.)
- Chevrolet 4G LTE and available built-in Wi-Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first); EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Included and only available with (UE1) OnStar. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.)

Prepared 4/26/2024

Page 2 of 10

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com

Features (continued)

EXTERIO R

- Bumpers, front and rear painted Black with step-pad
- DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT
- Glass, Solar-Ray light-tinted, all windows
- Headlamps, dual halogen composite
- MIRRORS, OUTSIDE MANUAL, BLACK
- Tire, spare LT245/75R16E all-season, blackwall located at rear underbody of vehicle
- TIRES, FRONT LT245/75R16E ALL-SEASON, BLACKWALL
- TIRES, REAR LT245/75R16E ALL-SEASON, BLACKWALL
- Wheels, 4 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare
- Wipers, front intermittent wet-arm with pulse washers

INTERIOR

- Air conditioning, single-zone manual (Not available with (R6G) air conditioning delete.)
- Assist handles, driver and right-front passenger
- Cargo tie-downs 6 D-ring attachments on cargo area floor (Not available with (Y3H) Paratransit Package, (5BV) Upfitter electrical provisions or (ZP6) 5-passenger Express Crew Van.)
- Console, engine cover with open storage bin
- Cup holders, 3 on the engine console cover
- Defogger, side windows
- Door locks, power with lock-out protection (Included with (ZQ2) Power Convenience Package. NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)
- Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Floor covering, full-length Black rubberized-vinyl (Not available with (RFM) rear floor covering delete, (5BV) Upfitter electrical or (PCH) Hotel Shuttle Package.)
- Headliner, cloth, over driver and passenger
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Lighting, interior with 4 dome lights 1 overhead and 3 LED's on cross members in cargo area, includes defeat switch and door handle-activated switches
- Mirror, inside rearview includes Rear Vision Camera display
- Oil life monitor
- POWER OUTLET, 120-VOLT

Prepared 4/26/2024

REYNOLDS

AUTOGROUP

Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 3 of 10

Features (continued)

INTERIOR

- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim (Not available with (AJ3) driver-side only frontal air bag.)
- Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim. Includes (DAA) driver and front passenger vinyl visors.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Theft-deterrent system, vehicle, PASS-Key III
- Tow/haul mode selector, instrument panel-mounted
- Trim panels, hinged rear side doors and hinged rear doors (Not available with (Y3H) Paratransit Package or (5BV) Upfitter electrical provisions.)
- VISORS, DRIVER AND FRONT PASSENGER, CLOTH, PADDED
- Warning tones, headlamp on and key-in-ignition
- Windows, power (Included with (ZQ2) Power Convenience Package.)

MECHANICAL

- Alternator, 105 amps (Not available with (Y3H) Paratransit Package, (C69) rear air conditioning, (9L7) Wiring junction block equipment accessory, (5BV) Upfitter electrical provisions or (LWN) 2.8L Duramax Turbo-Diesel engine.)
- · Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- BODY, STANDARD
- BRAKES, 4-WHEEL ANTILOCK, 4-WHEEL DISC
- Cooling, external engine oil cooler (Not available with (LWN) 2.8L Duamax Turbo-Diesel engine.)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Frame, full-length box ladder-type
- Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)
- GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)
- Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)
- REAR WHEEL DRIVE
- Steering, power
- Suspension, front independent with coil springs and stabilizer bar
- Suspension, rear hypoid drive axle with multi-leaf springs
- Transmission oil cooler, external (Not available with (LWN) 2.8L Duramax Turbo-Diesel engine.)

Prepared 4/26/2024

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 4 of 10

Features (continued)

OTHER

• Power Convenience Package includes (A31) power windows and (AU3) power door locks

SAFEIY

- Air bag deactivation switch, frontal passenger-side (Not available with (AJ3) driver only air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, driver and right-front passenger, seat-mounted side-impact and head curtain side-impact (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch. Included with (ZX2) driver and front passenger high-back bucket seats or (ZP6) 5-passenger Express Crew Van Package. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Brake/transmission shift interlock, for automatic transmissions
- Chevrolet Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Chevrolet Smart Driver, Marketplace and more; EFFECTIVE WITH SALES STARTING 5/1/2018. (Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer Chevrolet vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security servi
- DAYTIME RUNNING LAMPS
- Door beams, steel-side
- Hill start assist
- OnStar and Chevrolet connected services capable; EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Not available with (UXZ) radio provisions only. Visit onstar.com for coverage map, details and system limitations. Services vary by model.)
- Rear Vision Camera display integrated into rearview mirror (Display included with (DRJ) inside rearview mirror.)
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Tire pressure monitoring system (does not apply to spare tire)

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 5 of 10

Technical Specifications

Basic

BASIC	Engine:	6.0L V8 SFI GSEOUS CNG/LPG CAP
	Cylinders:	6
	Fuel Type:	Gas
	Transmission:	Transmission-Auto
	Transmission Type:	Automatic
	Drive Type:	Rear-wheel Drive

Chassis Specifications

BRAKES	ABS System:	4-Wheel
	Brake System Type:	Pwr
	Front disc brake (Yes/No):	Yes
	Front disk brake Rotor Diam x Thickness (in):	12.8 x 1.5
	Rear disc brake (Yes/No):	Yes
	Rear disc brake rotor diameter x thickness (in):	13.0 x 1.1
FUEL TANK	Capacity, Approx (gal):	31
	Tank Location:	Mid-frame
STEERING	Curb to Curb Turns:	49.2
	Wall to Wall Turns:	N/A
	Ratio (:1), At Lock:	17.2
	Ratio (:1), On Center:	17.2
	Steering Type:	Pwr

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 6 of 10

Technical Specifications

Chassis Specifications

SUSPENSION	Front Axel Type:	Independent
	Front axle Capacity (lb):	4100
	Front Shock Absorber Diameter (mm):	N/A
	Front Spring Capacity (lb):	4100
	Front Spring Type:	Coil Spring
	Rear axle capacity (lb):	5360
	Rear axle type:	Semi-Floating
	Rear shock absorber diameter (mm):	N/A
	Rear spring capacity (lb):	5360
	Rear Spring Type:	Hypoid Multi-Leaf
	Stabilizer Bar Diameter (in):	1.38
TIRES	Front Capacity - each (lb):	2205
	Front Tire Order Code:	XLP
	Front Tire Revolutions/Mile @ 45 mph:	- TBD -
	Front Tire Size:	LT245/75R16E
	Rear tire capacity (lb):	3042
	Rear tire order code:	YLP
	Rear tire revolutions @ 45 mph:	- TBD -
	Rear tire size:	LT245/75R16E
	Spare tire capacity (lb):	- TBD -
	Spare tire order code:	ZLP
	Spare tire revolutions @ 45 mph:	- TBD -
	Spare tire size:	LT245/75R16E

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 7 of 10

Technical Specifications

Chassis Specifications

WHEELS	Front wheel Size (in):	16 x 6.5	
	Front wheel Type:	Steel	
	Rear wheel size (in):	16 x 6.5	
	Rear wheel type:	Steel	
	Spare wheel size (in):	16 x 6.5	
	Spare wheel type:	Steel	

Dimension Specifications

CARGO AREA DIMENSIONS	Cargo Volume (cu ff):	- TBD -	
	Height (in):	52.9	
	Length to Console:	153.6	
	Length to Seat 1:	124.6	
	Rear Door Opening (in), Height:	49.4	
	Rear Door Opening (in), Width:	57	
	Rear Door Type:	Dual Swing-out	
	Side Door Opening (in), Height:	47.9	
	Side Door Opening (in), Width:	44.1	
	Side Door Type:	Swing-out	
	Step Up Height (in), Front:	20.3	
	Step Up Height (in), Side:	20.8	
	Width @ Beltline (in):	- TBD -	
	Width @ Wheelhousings (in):	52.7	

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 8 of 10

Technical Specifications

Dimension Specifications

EXTERIOR DIMENSIONS	Ground Clearance (in), Front:	11
	Ground Clearance (in), Rear:	7.1
	Ground to Top of Load Floor (in):	27.8
	Height, Overall (in):	84.6
	Length, Overall w/rear bumper:	224.1
	Overhang (in), Front:	39.7
	Overhang (in), Rear w/bumper:	- TBD -
	Wheelbase (in):	135
	Width, Max w/o mirrors (in):	79.2
INTERIOR DIMENSIONS	Front seat Head Room (in):	- TBD -
	Front seat Hip Room (in):	- TBD -
	Front seat Leg Room (in):	- TBD -
	Front seat Shoulder Room (in):	- TBD -
	Passenger Capacity:	2

Payload/Trailering Specifications


TRAILERING	Dead Weight Hitch (lb):	5000
	Dead Weight Hitch-Max. Tongue Load:	500
	Wt Distributing Hitch (lb):	7400
	Wt. Distributing Hitch-Max. Tongue Load:	740
WEIGHT INFORMATION	Curb Weight (lb):	2877
	Gross Axle Wt Rating (lb):	4100
	Gross Combined Wt Rating (lb):	13000
	Gross Vehicle Wt Rating (lb):	8600
	Rear Curb Weight (lb):	2348
	Rear Gross Axle Weight Rating (lb):	5360

Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 9 of 10

Technical Specifications Powertrain - Advanced Specifications COOLING SYSTEM Engine Oil Cooler: Yes DIFFERENTIAL Rear axle ratio (:1): 3.42 ELEC TRICAL 1st battery Cold Cranking Amps @ 0° F: 600



Prepared 4/26/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 10 of 10