AutoDiary

Used 2020 Jeep Gladiator Rubicon 4x4 (#AON8889)

Vehicle Details



Stock #AON8889VIN1C6JJTBG3LL140843Year2020Stock TypeUsedMakeJeepModelGladiatorStyleRubicon 4x4Exterior ColorBright White ClearcoatInterior ColorBlack

Disclaimer

Sales Tax, Title Fee, License & Registration Fees, Dealer Documentary Fee, Finance Charges, Emission Testing Fees and / or Compliances Fees are in addition to the advertised price. Prices and special offers are subject to change. Mileage listings are estimates and are not necessarily accurate odometer readings.


Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 1 of 12

Photos



Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 8 Speakers
- AM/FM/Satellite w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and External Memory Control
- Fixed antenna
- RADIO: UCONNECT 4 W/7" DISPLAY
- Streaming Audio

Prepared 4/18/2024

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 2 of 12

EXTERIOR

- Auto On/Off Reflector Halogen Daytime Running Headlamps w/Delay-Off
- Black door handles
- Black Front Bumper w/2 Tow Hooks
- Black Power Heated Side Mirrors w/Manual Folding
- Black Rear Bumper w/2 Tow Hooks
- Black Side Windows Trim
- Black Wheel Well Trim and Black Fender Flares
- Body-Color Grille w/Colored Accents
- Clearcoat Paint w/Badging
- DEEP TINTED GLASS
- FALKEN BRAND TIRES
- FRONT FOG LAMPS
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Galvanized Steel/Aluminum Panels
- Manual Convertible Top w/Fixed Roll-Over Protection and Top
- Regular Box Style
- Removable Rear Window
- Steel spare wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- TIRES: LT285/70R17C BSW A/T
- Variable intermittent wipers
- WHEELS: 17" X 7.5" GRANITE CRYSTAL ALUMINUM

INTERIOR

- 2 12V DC Power Outlets
- 2 12V DC Power Outlets and 1 120V AC Power Outlet
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment, Fore/Aft Movement and Manual Lumbar Support
- 60-40 Folding Split-Bench Front Facing Fold Forward Seatback Premium Cloth Rear Seat
- 97 mph Maximum Speed Calibration

Reynolds Motors

One Reynolds Way

Dayton, OH 45430

- Air filtration
- Analog Appearance

Prepared 4/18/2024

REYNOLDS

AUTOGROUP

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 3 of 12

INTERIOR

- Bucket Front Seats w/Cloth Back Material and Manual Driver Lumbar
- Compass
- Cruise control w/steering wheel controls
- Day-night rearview mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- DRIVER INFORMATION CENTER
- Fade-to-off interior lighting
- Front And Rear Map Lights
- Front center armrest w/storage
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Floor Console w/Locking Storage, 2 12V DC Power Outlets and 1 120V AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Engine Hour Meter, Trip Odometer and Trip Computer
- HVAC -inc: Console Ducts
- Illuminated Front Cupholder
- Illuminated rear cupholder
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
- Interior Trim-inc: Colored Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- LEATHER STEERING WHEEL
- Locking glove box
- Manual Adjustable Front Head Restraints and Foldable Rear Head Restraints
- Manual tilt/telescoping steering column
- Outside temp gauge
- PERIMETER ALARM
- Power 1st Row Windows w/Driver And Passenger 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- PREMIUM CLOTH LOW-BACK BUCKET SEATS
- Proximity Key For Push Button Start Only

Reynolds Motors

One Reynolds Way

Dayton, OH 45430

- Redundant digital speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Immobilizer
- Smart Device Integration

Prepared 4/18/2024

REYNOLDS

AUTOGROUP

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 4 of 12

INTERIOR

- TRIP COMPUTER
- Urethane Gear Shifter Material
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 1200# Maximum Payload
- 22 Gal. Fuel Tank
- 220 AMP ALTERNATOR
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 4.10 REAR AXLE RATIO
- 50 STATE EMISSIONS
- 650CCA Maintenance-Free Battery w/Run Down Protection
- 7 Skid Plates
- AUTO LOCKING HUBS
- Brake Actuated Limited Slip Differential
- Class II Towing Equipment -inc: Hitch and Trailer Sway Control
- Driver Selectable Front Locking Differential
- Driver Selectable Rear Locking Differential
- Electro-Hydraulic Power Assist Steering
- Engine Auto Stop-Start Feature
- ENGINE OIL COOLER
- Fox Premium Shock Absorbers
- Front Active w/Driver Control Anti-Roll and Rear Anti-Roll
- GVWR: 6,250 lbs
- Leading Link Front Suspension w/Coil Springs
- Manual Transfer Case
- Part-Time Four-Wheel Drive
- Performance suspension
- Single stainless steel exhaust
- Solid Axle Rear Suspension w/Coil Springs
- Trailer Wiring Harness

Prepared 4/18/2024

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 5 of 12

SAFEIY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkView back-up camera
- Rear child safety locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Optional Equipment

- ENGINE: 3.6L V6 24V VVT UPG I
- WHEELS: 17" X 7.5" GRANITE CRY
- TIRES: LT285/70R17C BSW A/T
- TRANSMISSION: 8-SPEED AUTOMATIC (850RE) -inc: Tip Start, Transmission Skid Plate, Selec-Speed Control
- BLACK, LEATHER TRIMMED BUCKET SEATS -inc: Full Length Floor Console Premium Armrest, Leather Wrapped Park Brake Handle, Leather Wrapped Shift Knob, Premium Door Trim Panel, Rear Armrest w/Cupholder Seat
- LED LIGHTING GROUP - inc: Daytime Running Lamps LED Accents, LED Park Turn Lamps, Front LED Fog Lamps, LED Reflector Headlamps, LED Taillamps
- CARGO GROUP W/TRAIL RAIL SYSTEM -inc: Exterior 115V AC Outlet, Lockable Rear Underseat Storage, 240 Amp Alternator
- COLD WEATHER GROUP - inc: heated steering wheel, heated front seats
- SAFETY GROUP - inc: ParkSense Rear Park Assist System, Blind Spot & Cross Path Detection
- AUXILIARY SWITCH GROUP - inc: 700 Amp Maintenance Free Battery, 240 Amp Alternator, Auxiliary Switches
- TRAILER TOW PACKAGE - inc: Trailer Hitch Zoom, Class IV Hitch Receiver, Heavy Duty Engine Cooling, 240 Amp Alternator
- BODY COLOR 3-PIECE HARD TOP -inc: Freedom Panel Storage Bag, Rear Window Defroster, Rear Sliding Window, No Soft Top
- BODY COLOR FENDER FLARES (2-PIECE)
- SPRAY IN BEDLINER
- REMOTE PROXIMITY KEYLESS ENTRY
- Remote start system
- ALL-WEATHER SLUSH MATS

Prepared 4/18/2024

Bill McCarty

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 6 of 12

Optional Equipment

- ROLL-UP TONNEAU COVER
- QUICK ORDER PACKAGE 24R -inc: Engine: 3.6L V6 24V VVT UPG I w/ESS, Transmission: 8-Speed Automatic (850RE)
- QUICK ORDER PACKAGE 24R -inc: Engine: 3.6L V6 24V VVT UPG I w/ESS, Transmission: 8-Speed Automatic (850RE)

Technical Specifications

Basic

| BASIC | Engine: | E: 3.6L V6 24V VVT UPG I W/ESS |
|-------|--------------------|--------------------------------|
| | Cylinders: | 6 |
| | Fuel Type: | Gas |
| | Transmission: | TRANS: 8-SPD AUTO (850RE) |
| | Transmission Type: | Automatic |
| | Drive Type: | Four-wheel Drive |

Chassis Specifications

| BRAKES | ABS System: | 4-Wheel |
|-----------|--|---------------------|
| | ABS System (Second Line): | 4-Wheel |
| | Brake System Type: | 4-Wheel Disc |
| | Front disc brake (Yes/No): | Yes |
| | Front disk brake Rotor Diam x Thickness (in): | 12.9 |
| | Rear disc brake (Yes/No): | Yes |
| | Rear disc brake rotor diameter x thickness (in): | 13.6 |
| FUEL TANK | Capacity, Approx (gal): | 22 |
| STEERING | Curb to Curb Turns: | 44.8 |
| | Steering Type: | Re-Circulating Ball |

Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 7 of 12

Technical Specifications (continued)

Chassis Specifications

| SUSPENSION | Front Axel Type: | Non-Independent |
|------------|------------------------|-----------------|
| | Front Spring Type: | Leading Link |
| | Rear axle type: | Rigid Axle |
| | Rear Spring Type: | Trailing Arm |
| TIRES | Front Tire Order Code: | TW2 |
| | Front Tire Size: | LT285/70SR17 |
| | Rear tire order code: | TW2 |
| | Rear tire size: | LT285/70SR17 |
| | Spare tire size: | Full-Size |
| WHEELS | Front wheel Size (in): | 17 X 7.5 |
| | Front wheel Type: | Aluminum |
| | Rear wheel size (in): | 17 X 7.5 |
| | Rear wheel type: | Aluminum |
| | Spare wheel size (in): | Full-Size |
| | Spare wheel type: | Steel |

Dimension Specifications

| CARGO AREA DIMENSIONS | Cargo Volume (cu ft): | 35.5 | |
|--------------------------|-----------------------------|------|--|
| | Height (in): | 33.9 | |
| | Length @ Floor (in): | 60.3 | |
| | Tailgate Width (in): | 50 | |
| | Width @ Floor (in): | 56.8 | |
| | Width @ Top, Rear (in): | 56.8 | |
| | Width @ Wheelhousings (in): | 44.8 | |

Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 8 of 12

Technical Specifications (continued)

Dimension Specifications

| EXTERIOR DIMENSIONS | Ground Clearance (in), Front: | 11.1 |
|----------------------------|--|-------|
| | Ground Clearance (in), Rear: | 11.1 |
| | Ground to Top of Load Floor (in): | 33.3 |
| | Height, Overall (in): | 76.1 |
| | Length, Overall (in): | 218 |
| | Overhang (in), Front: | 29.7 |
| | Overhang (in), Rear w/o bumper: | 51 |
| | Wheelbase (in): | 137.3 |
| | Width, Max w/o mirrors (in): | 73.8 |
| NTERIOR DIMENSIONS | Front seat Head Room (in): | 42.8 |
| | Front seat Hip Room (in): | 53.9 |
| | Front seat Leg Room (in): | 41.2 |
| | Front seat Shoulder Room (in): | 55.7 |
| | Passenger Capacity: | 5 |
| | Second seat head room (in): | 42.8 |
| | Second seat hip room (in): | 55.9 |
| | Second seat leg room (in): | 38.3 |
| | Second seat shoulder room (in): | 55.7 |
| Payload/Trailering Specifi | | |
| IRAILERING | Dead Weight Hitch (lb): | 4500 |
| | Dead Weight Hitch-Max. Tongue Load: | 450 |
| | Wt Distributing Hitch (lb): | 4500 |
| | Wt. Distributing Hitch-Max. Tongue Load: | 450 |

Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 9 of 12

Technical Specifications (continued)

Payload/Trailering Specifications

| WEIGHT INFORMATION | Base Curb Weight (lb): | 5050 |
|--------------------|-------------------------------------|-------|
| | Curb Weight (lb): | 2677 |
| | Gross Axle Wt Rating (lb): | 3100 |
| | Gross Combined Wt Rating (lb): | 10000 |
| | Gross Vehicle Wt Rating (lb): | 6250 |
| | Rear Curb Weight (lb): | 2374 |
| | Rear Gross Axle Weight Rating (lb): | 3750 |

Powertrain - Advanced Specifications

| COOLING SYSTEM | Engine Oil Cooler: | Regular Duty | |
|----------------|--|--------------|--|
| DIFFERENTIAL | Front Axel Ratio (:1): | 4.10 | |
| | Rear axle ratio (:1): | 4.10 | |
| ELECTRICAL | 1st battery Cold Cranking Amps @ 0° F: | 650 | |
| | 2nd battery cold cranking amps @ 0 F: | 650 | |
| TRANSFER CASE | Transfer Case Model: | Manual | |
| | Transfer Case Power Take Off: | No | |
| TRANSMISSION | Gear Ratio (:1), Fifth: | 1.28 | |
| | Gear Ratio (:1), First: | 4.71 | |
| | Gear Ratio (:1), Fourth: | 1.67 | |
| | Gear Ratio (:1), Reverse: | 3.29 | |
| | Gear Ratio (:1), Second: | 3.14 | |
| | Gear Ratio (:1), Sixth: | 1.00 | |
| | Gear Ratio (:1), Third: | 2.11 | |

Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 10 of 12

Technical Specifications (continued)


Powertrain - Basic Specifications

| ENGINE | Displacement: | 3.6 L/220 |
|--------------|---------------------------------------|----------------------|
| | Engine Order Code: | ERC |
| | Engine Type: | Regular Unleaded V-6 |
| | Fuel System: | Sequential MPI |
| | SAE Net Horsepower: | 285 @ 6400 |
| | SAE Net Torque (lb ft): | 260 @ 4400 |
| FUEL ECONOMY | City EPA Fuel Economy Est (MPG): | 16 |
| | Fuel Economy Est-Combined (MPG): | 19 |
| | Hwy EPA Fuel Economy Estimate (MPG): | 23 |
| TRANSMISSION | Transmission Order Code: | DFT |
| | Transmission Type: | 8 |
| | Transmission Type Description Line 1: | Automatic w/OD |

Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 11 of 12



Prepared 4/18/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 12 of 12