AutoDiary

Used 2008 Dodge Ram 1500 2WD Reg Cab 120.5" ST (#556767A)

Vehicle Details



Stock #556767AVIN1D7HA16K28J209332Year2008Stock TypeUsedMakeDodgeModelRam1500Style2WD Reg Cab 120.5" STExterior ColorBright WhiteInterior ColorMedium Slate GrayPublished Price\$10,125.00

Disclaimer

Sales Tax, Title Fee, License & Registration Fees, Dealer Documentary Fee, Finance Charges, Emission Testing Fees and / or Compliances Fees are in addition to the advertised price. Prices and special offers are subject to change. Mileage listings are estimates and are not necessarily accurate odometer readings.

Prepared 5/9/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 1 of 9

AutoDiary

Used 2008 Dodge Ram 1500 2WD Reg Cab 120.5" ST (#556767A)

Photos



Features

Standard Equipment

EXTERIO R

- CARGO LAMP
- Dark gray grille
- FRONT AIR DAM
- Gray front bumper
- Gray upper front fascia
- Manual 6" x 9" black mirrors
- REAR BUMPER W/GRAY STEP PAD
- Removable tailgate
- Tinted windows
- Variable speed intermittent windshield wipers

INTERIOR

- 12V pwr outlet
- AIR CONDITIONING
- AM/FM stereo w/CD player-inc: (4) speakers
- Auxiliary audio input jack
- Black instrument panel bezel
- BLACK VINYL FLOOR COVERING

Prepared 5/9/2024

- ----

REYNOLDS AUTOGROUP Reyno

Reynolds Motors One Reynolds Way Dayton, OH 45430

Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 2 of 9

Features (continued)

INTERIOR

- Cigar lighter
- Day/night rearview mirror
- Fixed long mast antenna
- HD VINYL 40/20/40 SPLIT BENCH SEAT
- Instrument cluster-inc: 120 MPH primary speedometer, tachometer
- Mini floor console
- Passenger assist handle
- Pwr accessory delay
- Rear cab storage
- SENTRY KEY THEFT DETERRENT SYSTEM
- TILT STEERING COLUMN
- TIRE PRESSURE MONITOR

MECHANICAL

- 136-AMP ALTERNATOR
- 17" x 7" argent painted steel wheels
- 3.21 AXLE RATIO
- 6-SPEED MANUAL TRANSMISSION
- 6.3' cargo box
- 600-amp maintenance-free battery
- 6025# GVWR
- 9.25" rear axle ring gear diameter
- Electronically controlled throttle
- Front stabilizer bar
- Full-size spare tire w/steel wheel & winch-type carrier
- HD FRONT & REAR SHOCK ABSORBERS
- P245/70R17 ALL-SEASON BSW TIRES
- Pwr 4-wheel disc brakes
- Pwr rack & pinion steering
- Rear wheel anti-lock brakes
- REAR WHEEL DRIVE
- Trailer tow wiring-inc: 4-pin connector

Reynolds Motors

One Reynolds Way

Dayton, OH 45430

Prepared 5/9/2024

REYNOLDS

AUTOGROUP

Bill McCarty

William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 3 of 9

Features (continued)

OTHER

- City 13/hwy 17 (4.7L flexfuel engine/6-speed manual trans w/gas)
- City 13/hwy 17 (4.7L gas engine/6-speed manual trans)
- City 13/hwy 18 (4.7L flexfuel engine/5-speed auto trans w/gas)
- City 13/hwy 18 (4.7L gas engine/5-speed auto trans)
- City 13/hwy 18 (5.7L engine/5-speed auto trans)
- City 14/hwy 19 (3.7L engine/4-speed VLP auto trans)
- City 16/hwy 19 (3.7L engine/6-speed manual trans)
- City 9/hwy 12 (4.7L flexfuel engine/5-speed auto trans w/E85 mix)
- City 9/hwy 12 (4.7L flexfuel engine/6-speed manual trans w/E85 mix)

SAFEIY

- Driver/front passenger multistage airbags
- DUAL NOTE HORN
- Rear wheel anti-lock brakes
- Shoulder belt height adjusters

Optional Equipment

- 3.7L V6 "MAGNUM" ENGINE
- 6-SPEED MANUAL TRANSMISSION
- PAINT
- 17" X 8" ARGENT STEEL WHEELS
- PINSTRIPE
- 50-STATE EMISSIONS
- 3.21 AXLE RATIO
- BLACK VINYL FLOOR COVERING
- 21A ST CUSTOMER PREFERRED ORDER SELECTION PKG - inc: 3.7L V6 engine, 6-speed manual trans
- 21A ST CUSTOMER PREFERRED ORDER SELECTION PKG - inc: 3.7L V6 engine, 6-speed manual trans
- P245/70R17 ALL-SEASON BSW TIRE
- HD VINYL 40/20/40 SPLIT BENCH

Prepared 5/9/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 4 of 9

AutoDiary

Used 2008 Dodge Ram 1500 2WD Reg Cab 120.5" ST (#556767A)

Technical Specifications

Basic

BASIC	Engine:	3.7L V6 "MAGNUM" ENG
	Cylinders:	6
	Fuel Type:	Gas
	Transmission:	6-SPD MAN TRANS
	Transmission Type:	Manual
	Drive Type:	Rear-wheel Drive

Chassis Specifications

BRAKES	ABS System:	Rear Wheel
	Brake System Type:	Pwr
	Front disc brake (Yes/No):	Yes
	Front disk brake Rotor Diam x Thickness (in):	13.2 x 1.10
	Rear disc brake (Yes/No):	Yes
	Rear disc brake rotor diameter x thickness (in):	13.9 x 0.86
FUEL TANK	Capacity, Approx (gal):	26
	Tank Location:	Inboard Frame Rails
STEERING	Curb to Curb Turns:	41.5
	Wall to Wall Turns:	- TBD -
	Ratio (:1), At Lock:	- TBD -
	Ratio (:1), On Center:	- TBD -
	Steering Type:	Pwr rack & pinion

Prepared 5/9/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 5 of 9

Technical Specifications

Chassis Specifications

SUSPENSION	Front axle Capacity (lb):	- TBD -
	Front Shock Absorber Diameter (mm):	- TBD -
	Front Spring Capacity (lb):	- TBD -
	Front Spring Type:	Independent SLA
	Rear axle capacity (lb):	- TBD -
	Rear axle type:	Semi-floating
	Rear shock absorber diameter (mm):	- TBD -
	Rear spring capacity (lb):	- TBD -
	Rear Spring Type:	Leafspring
	Stabilizer Bar Diameter (in):	- TBD -
TIRES	Front Capacity - each (lb):	2004
	Front Tire Order Code:	TSB
	Front Tire Revolutions/Mile @ 45 mph:	684
	Front Tire Size:	P245/70R17
	Rear tire capacity (lb):	2004
	Rear tire order code:	TSB
	Rear tire revolutions @ 45 mph:	684
	Rear tire size:	P245/70R17
	Spare tire capacity (lb):	- TBD -
	Spare tire order code:	TBB
	Spare tire revolutions @ 45 mph:	- TBD -
	Spare tire size:	Full-Size
WHEELS	Front wheel Size (in):	17 x 7.0
	Front wheel Type:	Steel
	Rear wheel size (in):	17 x 7.0
	Rear wheel type:	Steel
	Spare wheel size (in):	17 x 7.0
	Spare wheel type:	Steel

Prepared 5/9/2024

REYNOLDS

Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 6 of 9

Technical Specifications

Dimension Specifications

CARGO AREA DIMENSIONS	Cargo Volume (cu ft):	- TBD -
	Height (in):	20.2
	Length @ Floor (in):	76.3
	Tailgate Width (in):	63.5
	Width @ Floor (in):	66.4
	Width @ Top, Rear (in):	- TBD -
	Width @ Wheelhousings (in):	51.0
EXTERIOR DIMENSIONS	Cab to Axle (in):	36.9
	Cab to End of Frame (in):	- TBD -
	Frame Width, Rear (in):	41.8
	Front Bumper to Back of Cab (in):	122.9
	Ground Clearance (in), Front:	8.2
	Ground Clearance (in), Rear:	7.4
	Ground to Top of Frame (in):	- TBD -
	Ground to Top of Load Floor (in):	32.9
	Height, Overall (in):	73.8
	Length, Overall w/o rear bumper:	207.7
	Overhang (in), Front:	39.3
	Overhang (in), Rear w/o bumper:	47.9
	Wheelbase (in):	120.5
	Width, Max w/o mirrors (in):	79.6
INTERIOR DIMENSIONS	Front seat Head Room (in):	40.8
	Front seat Hip Room (in):	65.0
	Front seat Leg Room (in):	41.0
	Front seat Shoulder Room (in):	67.0
	Passenger Capacity:	3

Prepared 5/9/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 7 of 9

Technical Specifications

Payload/Trailering Specifications

TRAILERING	Dead Weight Hitch (lb):	3300
	Dead Weight Hitch-Max. Tongue Load:	330
	Wt Distributing Hitch (lb):	3300
	Wt. Distributing Hitch-Max. Tongue Load:	330
WEIGHT INFORMATION	Curb Weight (lb):	2543
	Gross Axle Wt Rating (lb):	3700
	Gross Combined Wt Rating (lb):	8000
	Gross Vehicle Wt Rating (lb):	6025
	Rear Curb Weight (lb):	1972
	Rear Gross Axle Weight Rating (lb):	3900

Powertrain - Advanced Specifications

DIFFERENTIAL	Rear axle ratio (:1):	3.21
ELECTRICAL	1st battery Cold Cranking Amps @ 0° F:	600
TRANSMISSION	Clutch Size (in):	- TBD -
	Gear Ratio (:1), Fifth:	- TBD -
	Gear Ratio (:1), First:	- TBD -
	Gear Ratio (:1), Fourth:	- TBD -
	Gear Ratio (:1), Reverse:	- TBD -
	Gear Ratio (:1), Second:	- TBD -
	Gear Ratio (:1), Sixth:	- TBD -
	Gear Ratio (:1), Third:	- TBD -

Prepared 5/9/2024




Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 8 of 9

Technical Specifications

Powertrain - Basic Specifications

ENGINE	Displacement:	3.7L/226
	Engine Order Code:	EKG
	Engine Type:	Gas V6
	Fuel System:	SMPI
	SAE Net Horsepower:	210 @ 5200
	SAE Net Torque (lb ff):	235 @ 4000
FUEL ECONOMY	City EPA Fuel Economy Est (MPG):	16
	Hwy EPA Fuel Economy Estimate (MPG):	19
TRANSMISSION	Transmission Order Code:	DEJ
	Transmission Type:	6
	Transmission Type Description Line 1:	Manual w/OD



Prepared 5/9/2024



Reynolds Motors One Reynolds Way Dayton, OH 45430 Bill McCarty William_McCarty@ReyRey.com (800) 767-0080 (888) 490-1571 www.nakedlimemotors.com Page 9 of 9